From:

Halbur, Kathy

Sent:

Thursday, March 19, 2015 8:22 AM

To:

'Edward J Weiss'

Subject:

Acme Galvanizing Sample Results

Attachments:

1503417 Report.pdf

Hi Ed:

Please see below and attached. Let me know if you have any questions.

Kathy

From: Halbur, Kathy

Sent: Thursday, March 19, 2015 8:21 AM

To: 'Mueller, Stephen D - DNR'; 'Schmidt, Lindor'; 'Biedrzycki, Paul'; 'Thiboldeaux, Robert L - DHS'; 'May, David W Lt Col

USAF NG WIANG (US)'; 'eng25@milwaukee.gov'; 'Hibbler, Genene'

Cc: 'Scott, Kevin'; 'lance.summers@tetratech.com'

Subject: Acme Galvanizing Sample Results

All:

The laboratory analytical results of the samples the MFD Hazmat Team collected on Monday at Acme Galvanizing are attached. Tetra Tech will do a quick data validation of the results, however we were not able to submit any QC samples, so please note the inherent limitations of this data.

Air Sample 1 was collected outside (east of the fire area) and air samples 2 and 3 were in the area where the meters were reading >50 ppm. The lab could not run TO-15 and CN on the same sample, so we ran TO-15 on sample 2 and CN on sample 3. Sample 4 was of the liquid in the loading dock; some of which reached the KK River.

The lab will clean the summas and return them to me. I will drop them off at E25 when I get them back.

Give me a call if you have any questions. Kathy

920-634-9072

Date: 18-Mar-15

Client:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-01

Matrix: AIR

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
TO-15 BY GC/MS			ETO-1	5		Analyst: MRJ
1,1,1-Trichloroethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,1,2,2-Tetrachioroethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,1,2-Trichloroethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,1-Dichloroethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,1-Dichloroethene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,2,4-Trichlorobenzene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,2,4-Trimethylbenzene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,2-Dibromoethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,2-Dichlorobenzene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,2-Dichloroethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,2-Dichloropropane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,3,5-Trimethylbenzene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,3-Butadiene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,3-Dichlorobenzene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,4-Dichlorobenzene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
1,4-Dioxane	ND		1.0	ppbv	1	3/17/2015 04:23 PM
2-Butanone	ND		0.50	ppbv	1	3/17/2015 04:23 PM
2-Hexanone	ND		0.50	ppbv	1	3/17/2015 04:23 PM
2-Propanol	2.9		1.0	ppby	1	3/17/2015 04:23 PM
4-Ethyltoluene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
4-Methyl-2-pentanone	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Acetone	12		1.0	ppby	1	3/17/2015 04:23 PM
Benzene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Benzyl chloride	ND		0.50	ppbv	1 .	3/17/2015 04:23 PM
Bromodichloromethane	· ND		0.50	ppbv	1	3/17/2015 04:23 PM
Bromoform	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Bromomethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Carbon disulfide	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Carbon tetrachloride	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Chlorobenzene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Chloroethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Chloroform	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Chloromethane	0.67		0.50	ppbv	1	3/17/2015 04:23 PM
cis-1,2-Dichloroethene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
cis-1,3-Dichloropropene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Cumene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Cyclohexane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Dibromochloromethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Dichlorodifluoromethane	ND		0.50	ppbv	1	3/17/2015 04:23 PM

Date: 18-Mar-15

Client:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

588-1

Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-01

Matrix: AIR

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Ethyl acetate	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Ethylbenzene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Freon 113	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Freon 114	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Heptane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Hexachlorobutadiene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Hexane	ND		0.50	ppbv	1	3/17/2015 04:23 PM
m,p-Xylene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Methylene chloride	ND		0.50	ppbv	1	3/17/2015 04:23 PM
MTBE	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Naphthalene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
o-Xylene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Propene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Styrene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Tetrachloroethene	ND		0.50	ppbv	1 '	3/17/2015 04:23 PM
Tetrahydrofuran	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Toluene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
trans-1,2-Dichloroethene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
trans-1,3-Dichloropropene	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Trichloroethene	ND		0.20	ppbv	1	3/17/2015 04:23 PM
Trichlorofluoromethane	ND		0.50	ppbv	· 1	3/17/2015 04:23 PM
Vinyl acetate	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Vinyl chloride	ND		0.50	ppbv	1	3/17/2015 04:23 PM
Surr: Bromofluorobenzene	97.7		60-140	%REC	1	3/17/2015 04:23 PM
TO-15 BY GC/MS			ETO-1	5		Analyst: MRJ
1,1,1-Trichloroethane	ND		2.7	μg/m3	1	3/17/2015 04:23 PM
1,1,2,2-Tetrachloroethane	ND		3.4	μg/m3	1	3/17/2015 04:23 PM
1,1,2-Trichloroethane	ND		2.7	μ g /m3	1	3/17/2015 04:23 PM
1,1-Dichloroethane	ND		2.0	μg/m3	1	3/17/2015 04:23 PM
1,1-Dichloroethene	ND		2.0	μg/m3	1	3/17/2015 04:23 PM
1,2,4-Trichlorobenzene	ND		3.7	μg/m3	1	3/17/2015 04:23 PM
1,2,4-Trimethylbenzene	ND		2.5	μg/m3	1	3/17/2015 04:23 PM
1,2-Dibromoethane	ND		3.8	μg/m3	1	3/17/2015 04:23 PM
1,2-Dichlorobenzene	ND		3.0	μg/m3	1	3/17/2015 04:23 PM
1,2-Dichloroethane	ND		2.0	μg/m3	1	3/17/2015 04:23 PM
1,2-Dichloropropane	ND		2.3	µg/m3	1	3/17/2015 04:23 PM
1,3,5-Trimethylbenzene	ND		2.5	μg/m3	1	3/17/2015 04:23 PM
1,3-Butadiene	ND		1.1	μg/m3	1	3/17/2015 04:23 PM
1,3-Dichlorobenzene	ND		3.0	μg/m3	1	3/17/2015 04:23 PM
1,4-Dichlorobenzene	ND		3.0	μg/m3	1	3/17/2015 04:23 PM

Date: 18-Mar-15

Client:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

588-1

Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-01

Matrix: AIR

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
1,4-Dioxane	ND		3.6	μg/m3	1	3/17/2015 04:23 PM
2-Butanone	ND		1.5	μg/m3	1	3/17/2015 04:23 PM
2-Hexanone	ND		2.0	μg/m3	1	3/17/2015 04:23 PM
2-Propanol	7.1		2.5	μg/m3	1	3/17/2015 04:23 PM
4-Ethyltoluene	ND		2.5	μg/m3	1	3/17/2015 04:23 PM
4-Methyl-2-pentanone	ND		2.0	μg/m3	1	3/17/2015 04:23 PM
Acetone	29		2.4	μg/m3	1	3/17/2015 04:23 PM
Benzene	ND		1.6	µg/m3	1	3/17/2015 04:23 PM
Benzyl chloride	ND		2.6	μg/m3	1	3/17/2015 04:23 PM
Bromodichloromethane	ND		3.4	µg/m3	1	3/17/2015 04:23 PM
Bromoform	ND		5.2	µg/m3	1	3/17/2015 04:23 PM
Bromomethane	ND		1.9	μg/m3	1	3/17/2015 04:23 PM
Carbon disulfide	ND		1.6	μg/m3	1	3/17/2015 04:23 PM
Carbon tetrachloride	ND		3.1	μg/m3	1	3/17/2015 04:23 PM
Chlorobenzene	ND		2.3	µg/m3	1	3/17/2015 04:23 PM
Chloroethane	ND		1.3	μg/m3	1	3/17/2015 04:23 PM
Chloroform	ND		2.4	μg/m3	1	3/17/2015 04:23 PM
Chloromethane	1,4		1.0	μg/m3	1	3/17/2015 04:23 PM
cis-1,2-Dichloroethene	ND		2.0	μg/m3	1	3/17/2015 04:23 PM
cis-1,3-Dichloropropene	ND		2.3	μg/m3	1	3/17/2015 04:23 PM
Cumene	ND		2.5	µg/m3	1	3/17/2015 04:23 PM
Cyclohexane	ND		1.7	μg/m3	1	3/17/2015 04:23 PM
Dibromochloromethane	ND		4.3	μg/m3	1	3/17/2015 04:23 PM
Dichlorodifluoromethane	ND		2.5	μg/m3	1	3/17/2015 04:23 PM
Ethyl acetate	ND		1.8	μg/m3	1	3/17/2015 04:23 PM
Ethylbenzene	ND		2.2	μg/m3	1	3/17/2015 04:23 PM
Freon 113	ND		3.8	μg/m3	1	3/17/2015 04:23 PM
Freon 114	ND		3.5	μg/m3	1	3/17/2015 04:23 PM
Heptane	ND		2.0	μg/m3	1	3/17/2015 04:23 PM
Hexachlorobutadiene	ND		5.3	µg/m3	1	3/17/2015 04:23 PM
Hexane	ND		1.8	μg/m3	1	3/17/2015 04:23 PM
m,p-Xylene	ND		2.2	μg/m3	1	3/17/2015 04:23 PM
Methylene chloride	ND		1.7	µg/m3	1	3/17/2015 04:23 PM
MTBE	ND		1.8	μg/m3	1	3/17/2015 04:23 PM
Naphthalene	ND		2.6	μg/m3	1	3/17/2015 04:23 PM
o-Xylene	ND		2.2	μg/m3	1	3/17/2015 04:23 PM
Propene	ND		0.86	μg/m3	1	3/17/2015 04:23 PM
Styrene	ND		2.1	μg/m3	1	3/17/2015 04:23 PM
Tetrachloroethene	ND		3.4	μg/m3	1	3/17/2015 04:23 PM
Tetrahydrofuran	ND		1.5	μg/m3	1	3/17/2015 04:23 PM

Date: 18-Mar-15

Client:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

588-1

Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-01

Matrix: AIR

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Toluene	ND		1.9	µg/m3	1	3/17/2015 04:23 PM
trans-1,2-Dichloroethene	ND		2.0	μg/m3	1	3/17/2015 04:23 PM
trans-1,3-Dichloropropene	ND		2.3	μg/m3	1	3/17/2015 04:23 PM
Trichloroethene	ND		1.1	μg/m3	1	3/17/2015 04:23 PM
Trichlorofluoromethane	ND		2.8	μg/m3	1	3/17/2015 04:23 PM
Vinyl acetate	ND		1.8	μg/m3	1	3/17/2015 04:23 PM
Vinyl chloride	ND		1.3	μg/m3	1	3/17/2015 04:23 PM
Surr: Bromofluorobenzene	97.7		60-1 <i>4</i> 0	%REC	1	3/17/2015 04:23 PM
HYDROGEN CYANIDE BY NIOSH	6010 MOD.		N6010			Analyst: CTS
Hydrogen cyanide	ND		1.0	µg/sample	1	3/18/2015

Date: 18-Mar-15

Chent:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

162-2

Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-02

Matrix: AIR

Analyses	Result	Report Limit	Units	Dilution Factor	Date Analyzed	
TO-15 BY GC/MS			ETO-1	5		Analyst: MRJ
1,1,1-Trichloroethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,1,2,2-Tetrachloroethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,1,2-Trichloroethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,1-Dichloroethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,1-Dichloroethene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,2,4-Trichlorobenzene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,2,4-Trimethylbenzene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,2-Dibromoethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,2-Dichlorobenzene	ΝD		5.0	ppbv	10	3/17/2015 05:03 PM
1,2-Dichloroethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,2-Dichloropropane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,3,5-Trimethylbenzene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,3-Butadiene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,3-Dichlorobenzene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,4-Dichlorobenzene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
1,4-Dioxane	ND		10	ppbv	10	3/17/2015 05:03 PM
2-Butanone	ND		5.0	ppbv	10	3/17/2015 05:03 PM
2-Hexanone	ND		5.0	ppbv	10	3/17/2015 05:03 PM
2-Propanol	ND		10	ppbv	10	3/17/2015 05:03 PM
4-Ethyltoluene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
4-Methyl-2-pentanone	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Acetone	580		40	ydqq	40	3/18/2015 12:30 PM
Benzene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Benzyl chloride	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Bromodichloromethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Bromoform	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Bromomethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Carbon disulfide	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Carbon tetrachloride	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Chlorobenzene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Chloroethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Chloroform	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Chloromethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
cis-1,2-Dichloroethene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
cis-1,3-Dichloropropene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Cumene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Cyclohexane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Dibromochloromethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Dichlorodifluoromethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM

Date: 18-Mar-15

Client:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

162-2

Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-02

Matrix: AIR

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Ethyl acetate	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Ethylbenzene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Freon 113	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Freon 114	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Heptane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Hexachiorobutadiene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Hexane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
m,p-Xylene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Methylene chloride	ND		5.0	ppbv	10	3/17/2015 05:03 PM
MTBE	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Naphthalene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
o-Xylene	, ND		5.0	ppbv	10	3/17/2015 05:03 PM
Propene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Styrene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Tetrachloroethene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Tetrahydrofuran	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Toluene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
trans-1,2-Dichloroethene	ND		5.0	ppbv	10 .	3/17/2015 05:03 PM
trans-1,3-Dichloropropene	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Trichloroethene	ND		2.0	ppbv	10	3/17/2015 05:03 PM
Trichlorofluoromethane	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Vinyl acetate	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Vinyl chloride	ND		5.0	ppbv	10	3/17/2015 05:03 PM
Surr: Bromofluorobenzene	97.2		60-140	%REC	10	3/17/2015 05:03 PM
TO-15 BY GC/MS			ETO-1	5		Analyst: MRJ
1,1,1-Trichloroethane	ND		27	μg/m3	10	3/17/2015 05:03 PM
1,1,2,2-Tetrachloroethane	ND		34	µg/m3	10	3/17/2015 05:03 PM
1,1,2-Trichloroethane	ND		27	µg/m3	10	3/17/2015 05:03 PM
1,1-Dichloroethane	ND		20	μg/m3	10	3/17/2015 05:03 PM
1,1-Dichloroethene	ND		20	μg/m3	10	3/17/2015 05:03 PM
1,2,4-Trichlorobenzene	ND		37	µg/m3	10	3/17/2015 05:03 PM
1,2,4-Trimethylbenzene	ND		25	µg/m3	10	3/17/2015 05:03 PM
1,2-Dibromoethane	ND		38	µg/m3	10	3/17/2015 05:03 PM
1,2-Dichlorobenzene	ND		30	μg/m3	10	3/17/2015 05:03 PM
1,2-Dichloroethane	ND		20	μg/m3	10	3/17/2015 05:03 PM
1,2-Dichloropropane	ND		23	μg/m3	10	3/17/2015 05:03 PM
1,3,5-Trimethylbenzene	ND		25	µg/m3	10	3/17/2015 05:03 PM
1,3-Butadiene	ND		11	μg/m3	10	3/17/2015 05:03 PM
1,3-Dichlorobenzene	ND		30	μg/m3	10	3/17/2015 05:03 PM
1,4-Dichlorobenzene	ND		30	µg/m3	10	3/17/2015 05:03 PM

Date: 18-Mar-15

Client:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

162-2

Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-02

Matrix: AIR

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed		
1,4-Dioxane	ND		36	µg/m3	10	3/17/2015 05:03 PM		
2-Butanone	ND		15	µg/m3	10	3/17/2015 05:03 PM		
2-Hexanone	ND		20	µg/m3	10	3/17/2015 05:03 PM		
2-Propanol	ND		25	μg/m3	10	3/17/2015 05:03 PM		
4-Ethyltoluene	ND		25	µg/m3	10	3/17/2015 05:03 PM		
4-Methyl-2-pentanone	ND		20	µg/m3	10	3/17/2015 05:03 PM		
Acetone	1,400		95	μg/m3	40	3/18/2015 12:30 PM		
Benzene	ND		16	µg/m3	10	3/17/2015 05:03 PM		
Benzyl chloride	ND		26	μg/m3	10	3/17/2015 05:03 PM		
Bromodichloromethane	ND		34	µg/m3	10	3/17/2015 05:03 PM		
Bromoform	ND		52	μg/m3	10	3/17/2015 05:03 PM		
Bromomethane	ND		19	μg/m3	10	3/17/2015 05:03 PM		
Carbon disulfide	ND		16	μg/m3	10	3/17/2015 05:03 PM		
Carbon tetrachloride	ND		31	μg/m3	10	3/17/2015 05:03 PM		
Chlorobenzene	ND		23	µg/m3	10	3/17/2015 05:03 PM		
Chloroethane	ND		13	μg/m3	10	3/17/2015 05:03 PM		
Chloroform	ND		24	µg/m3	10	3/17/2015 05:03 PM		
Chloromethane	ND		10	μg/m3	10	3/17/2015 05:03 PM		
cis-1,2-Dichloroethene	ND		20	µg/m3	10	3/17/2015 05:03 PM		
cis-1,3-Dichloropropene	ND		23	µg/m3	10	3/17/2015 05:03 PM		
Cumene	ND		25	µg/m3	10	3/17/2015 05:03 PM		
Cyclohexane	ND		17	μg/m3	10	3/17/2015 05:03 PM		
Dibromochloromethane	ND		43	µg/m3	10	3/17/2015 05:03 PM		
Dichlorodifluoromethane	ND		25	μg/m3	10	3/17/2015 05:03 PM		
Ethyl acetate	ND		18	µg/m3	10	3/17/2015 05:03 PM		
Ethylbenzene	ND		22	µg/m3	10	3/17/2015 05:03 PM		
Freon 113	ND		38	µg/m3	10	3/17/2015 05:03 PM		
Freon 114	ND		35	μg/m3	10	3/17/2015 05:03 PM		
Heptane	ND		20	µg/m3	10	3/17/2015 05:03 PM		
Hexachlorobutadiene	ND		53	μg/m3	10	3/17/2015 05:03 PM		
Hexane	ND		18	µg/m3	10	3/17/2015 05:03 PM		
m,p-Xylene	ND		22	μg/m3	10	3/17/2015 05:03 PM		
Methylene chloride	ND		17	μg/m3	10	3/17/2015 05:03 PM		
MTBE	ND		18	μg/m3	10	3/17/2015 05:03 PM		
Naphthalene	ND		26	μg/m3	10	3/17/2015 05:03 PM		
o-Xylene	ND		22	μg/m3	10	3/17/2015 05:03 PM		
Propene	ND		8.6	μg/m3	10	3/17/2015 05:03 PM		
Styrene	ND		21	μg/m3	10	3/17/2015 05:03 PM		
Tetrachloroethene	ND		34	μg/m3	10	3/17/2015 05:03 PM		
Tetrahydrofuran	ND		15	μg/m3	10	3/17/2015 05:03 PM		

Date: 18-Mar-15

Client:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-02

Matrix: AIR

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed
Toluene	ND		19	μg/m3	10	3/17/2015 05:03 PM
trans-1,2-Dichloroethene	ND		20	μg/m3	10	3/17/2015 05:03 PM
trans-1,3-Dichloropropene	ND		23	μg/m3	10	3/17/2015 05:03 PM
Trichloroethene	ND		11	μg/m3	10	3/17/2015 05:03 PM
Trichlorofluoromethane	ND		28	µg/m3	10	3/17/2015 05:03 PM
Vinyl acetate	ND		18	µg/m3	10	3/17/2015 05:03 PM
Vinyl chloride	ND		13	μg/m3	10	3/17/2015 05:03 PM
Surr: Bromofluorobenzene	97.2		60-140	%REC	10	3/17/2015 05:03 PM

Date: 18-Mar-15

Client:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

183-3 Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-03

Matrix: AIR

Report **Dilution** Result Analyses Limit **Date Analyzed** Qual Units **Factor** N6010 HYDROGEN CYANIDE BY NIOSH 6010 MOD., Analyst: CTS 1.0 3/18/2015 Hydrogen cyanide μg/sample 1

Date: 18-Mar-15

Client:

TETRATECH-CHICAGO

Project:

ACME Galv. Inc.; Project No.: 103X9026

Sample ID:

LIQ-1

Collection Date: 3/16/2015 12:00 PM

Work Order: 1503417

Lab ID: 1503417-04

Matrix: WATER

Analyses	Result	Qual	Report Limit	Units	Dilution Factor	Date Analyzed		
MERCURY BY CVAA	_		SW747	0A	Prep Date: 3/17/2015	Analyst: SLW		
Mercury	ND		0.50	μg/L	1	3/18/2015 09:59 AM		
METALS BY ICP	•		SW601	0B	Prep Date: 3/17/2015	Analyst: VAW		
Aluminum	1.3		0.20	mg/L	1	3/17/2015 04:37 PM		
Antimony	0.025		0.0060	mg/L	1	3/17/2015 04:37 PM		
Arsenic	ND		0.010	mg/L	1	3/17/2015 04:37 PM		
Barium	0.19		0.10	mg/L	1	3/17/2015 04:37 PM		
Beryllium	ND		0.0040	mg/L	1	3/17/2015 04:37 PM		
Cadmium	0.072		0.0050	mg/L	1	3/17/2015 04:37 PM		
Calcium	88		0.20	mg/L	1	3/17/2015 04:37 PM		
Chromium	0.19		0.020	mg/L	1	3/17/2015 04:37 PM		
Cobalt	ND		0.050	mg/L	1	3/17/2015 04:37 PM		
Copper	0.41		0.025	mg/L	1	3/17/2015 04:37 PM		
Iron	10		0.20	mg/L	1	3/17/2015 04:37 PM		
Lead	0.33		0.015	mg/L	1	3/17/2015 04:37 PM		
Magnesium	14		0.20	mg/L	1	3/17/2015 04:37 PM		
Manganese	0.29		0.050	mg/L	1	3/17/2015 04:37 PM		
Nickel	0.14		0.040	mg/L	1	3/17/2015 04:37 PM		
Potassium	11		0.20	mg/L	1	3/17/2015 04:37 PM		
Selenium	ND		0.030	mg/L	1	3/17/2015 04:37 PM		
Silver	ND		0.010	mg/L	1	3/17/2015 04:37 PM		
Sodium	78		0.20	mg/L	1	3/17/2015 04:37 PM		
Thallium	ND		0.0020	mg/L	1	3/17/2015 04:37 PM		
Vanadium	ND		0.050	mg/L	1	3/17/2015 04:37 PM		
Zinc	8.4		0.050	mg/L	1	3/17/2015 04:37 PM		
TOTAL CYANIDE			E335.2			Analyst: CTS		
Cyanide, Total	23		20	μg/L	1	3/18/2015		
PH			E9040E	3		Analyst: CTS		
pH	7.6			pH Units	1	3/18/2015		

Date: 18-Mar-15

QC BATCH REPORT

Client:

TETRATECH-CHICAGO

Work Order:

1503417

Project:

ACME Galv. Inc.; Project No.: 103X9026

Batch ID: R116670

Instrument ID VMS3

Method: ETO-15

MBLK Sample ID: MBLK-R116579					mils: ppbv		Analysis Date: 3/17/2015 03:40 PM				
Client ID:	Run ID: VIIIS3_150317A			SeqNo: 1018316			Prep Date: Di			F: 1	
Analyte	Result	PQŁ	SPK Val	SPK Ref Value	%REC	Control Limit	RPO Ref Value	%RPD	RPD Limit	Qual	
- tage	LESON	, GC	OF 10 VA		WINEG			market U		- Cuo	
1,1,1-Trichloroethane	ND	0.50									
1,1,2,2-Tetrachloroethane	ND	0.50									
1,1,2-Trichloroethane	ND	0.50									
1,1-Dichloroethane	ND	0.50									
1,1-Dichloroethene	ND	0.50									
1,2,4-Trichlorobenzene	ND	0.50									
1,2,4-Trimethylbenzene	ND	0.50									
1,2-Dibromoethane	ND	0.50									
1,2-Dichlorobenzene	ND	0.50									
1,2-Dichloroethane	ND	0.50									
1,2-Dichloropropane	ND	0.50									
1,3,5-Trimethylbenzene	ND	0.50									
1,3-Butadiene	ND	0.50									
,3-Dichlorobenzene	ND	0.50									
,4-Dichlorobenzene	ND	0.50									
,4-Dioxane	ND	1.0									
2-Butanone	ND	0.50									
2-Hexanone	ND	0.50									
?-Propanol	ND	1.0									
I-Ethyltoluene	ND	0.50									
1-Methyl-2-pentanone	ND	0.50									
Acetone	ND	1.0									
Benzene	ND	0.50									
Benzyl chloride	ND	0.50									
Bromodichloromethane	ND	0.50									
Bromoform	ND	0.50									
Bromomethane	ND	0.50									
Carbon disulfide	ND	0.50									
Carbon tetrachloride	ND	0.50									
Chlorobenzene	ND	0.50									
Chloroethane	ND	0.50									
Chloroform	ND	0.50									
Chloromethane	ND	0.50									
is-1,2-Dichloroethene	ND	0.50									
sis-1,3-Dichloropropene	ND	0.50									
Cumene	ND	0.50									
Cyclohexane	ND	0.50									
Dibromochloromethane	ND	0.50									
Dichlorodifluoromethane	ND	0.50									
Ethyl acetate	ND	0.50									
Ethylbenzene	ND	0.50									

Client:

TETRATECH-CHICAGO

Work Order:

1503417

Project:

ACME Galv. Inc.; Project No.: 103X9026

QC BATCH REPORT

Batch ID: R116670	instrument ID VMS3		Method:	ETO-15				
Freon 113	ND	0.50						
Freon 114	ND	0.50						
Heptane	ND	0.50						
Hexachlorobutadiene	ND	0.50						
Hexane	ND	0.50						
m,p-Xylene	ND	0.50						
Methylene chloride	· ND	0.50						
MTBE	ND	0.50						
Naphthalene	ND	0.50						
o-Xylene	ND	0.50						
Propene	ND	0.50						
Styrene	ND	0.50						
Tetrachloroethene	ND	0.50						
Tetrahydrofuran	ND	0.50						
Toluene	ND	0.50						
trans-1,2-Dichloroethene	ND	0.50						
trans-1,3-Dichloropropene	ND	0.50						
Trichloroethene	ND	0.20						
Trichlorofluoromethane	. ND	0.50						
Vinyl acetate	ND	0.50						
Vinyl chloride	ND	0.50						
Surr: Bromofluorobenzei	ne 9.37	0	10	0	93 .7	60-140	0	

Client:

TETRATECH-CHICAGO

Work Order:

1503417

Project:

ACME Galv. Inc.; Project No.: 103X9026

Batch ID: R116670

Instrument ID VMS3

Method: ETO-15

LCS Sample ID: LCS-R11 Client ID:		D: VMS3_	150317A		iks: ppbv No: 10183	ns 1	Analysis Date: 3/17/2015 60 Prep Date: DF: 1			
Ana lyte	Result	PQL	SPK Vali	SPK Ref Value	%REC	Control Limit	RPD Ref Value	%RPD	RPO Limit	Qua
<u> </u>	10.99	0.50	10	0	110	58.8-163				
1,1,1-Trichloroethane	10.48	0.50	10	0	105	60-140	(
1,1,2,2-Tetrachloroethane 1,1,2-Trichloroethane	11.58	0.50	10	0	116	60-140	(
1,1,2-1 nchloroethane 1,1-Dichloroethane	11.06	0.50	10	0	111	60-140				
1,1-Dichloroethene	10.92	0.50	10	0	109	60-140	(
1,2,4-Trichlorobenzene	8.44	0.50	10	0	84.4	49.3-150	(
1,2,4-Trimethylbenzene	10.84	0.50	10	0	108	50,1-162	(
1,2-Dibromoethane	11.74	0.50	10	0	117	60-140	(
·	10.27	0.50	10	0	103	41.9-141	(
I,2-Dichlorobenzene I,2-Dichloroethane	10.73	0.50	10	0	103	60-140	(
	10.73	0.50	10	0	116	60-140	(
1,2-Dichloropropane	10.82	0.50	10	0	108	60-140	(
1,3,5-Trimethylbenzene	10.82	0.50	10	0	101	50.6-140	(
I,3-Butadiene	10.06	0.50	10	0	101	60-140	(
1,3-Dichlorobenzene	10.05	0.50	10	0	100	55.1-145	(
,4-Dichlorobenzene	9.89	1.0	10	0	98.9	60-140	(
,4-Dioxane				0	100	60-140	(
2-Butanone	10.05	0.50	10	0	100					
2-Hexanone	10.01	0.50	10		94.3	56.2-162	(
2-Propanol	9.43	1.0	10	0		60-140	(
I-Ethyltoluene	11.03	0.50	10	0	110	60-140)		
1-Methyl-2-pentanone	10.71	0.50	10	0	107	60-140)		
Acetone	9.17	1.0	10	0	91.7	60-140)		
Benzene	11.28	0.50	10	0	113	60-140)		
Benzyl chloride	8.81	0.50	10	0	88.1	31.9-174)		
Bromodichloromethane	11.29	0.50	10	0	113	60-140)		
Bromoform	11.33	0.50	10	0	113	60-140	(
Bromomethane	11.06	0.50	10	0	111	60-140	(
Carbon disulfide	10.84	0.50	10	0	108	60-140	(
Carbon tetrachloride	11.25	0.50	10	0	112	60-140	(
Chlorobenzene	11.09	0.50	10	0	111	60-140	(
Chloroethane	11.03	0.50	10	0	110	60-140	(
Chloroform	11.1	0.50	10	0	111	60-140	(
Chloromethane	10.35	0.50	10	0	104	60-140	(
cis-1,2-Dichloroethene	11.18	0.50	10	0	112	60-140	(
cis-1,3-Dichloropropene	11.7	0.50	10	0	117	60-140	(
Cumene	11.16	0.50	10	0	112	60-140	(
Cyclohexane	11.81	0.50	10	0	118	60-140	(
Dibromochloromethane	11.58	0.50	10	0	116	60-140	(
Dichlorodifluoromethane	10	0.50	10	0	100	60-140	(
Ethyl acetate	10.88	0.50	10	0	109	60-140	(
Ethylbenzene	11.5	0.50	10	0	115	60-140	(
Freon 113	10.79	0.50	10	0	108	60-1 4 0	(}		

Note:

QC BATCH REPORT

Client:

TETRATECH-CHICAGO

Work Order:

1503417

Project:

ACME Galv. Inc.; Project No.: 103X9026

QC	BA'	ICH	REP	ORT
----	-----	------------	-----	-----

Batch ID: R116670	Instrument ID VMS3		Method:	ETO-15			
Freon 114	10.87	0.50	10	0	109	60-140	0
Heptane	11.23	0.50	10	0	112	60-140	0
Hexachlorobutadiene	9.35	0.50	10	0	93.5	60-140	0
Hexane	11.07	0.50	10	0	111	60-140	0
m,p-Xylene	22.61	0.50	20	0	113	60-140	0
Methylene chloride	9.8	0.50	10	0	98	60-140	0
MTBE	10.76	0.50	10	0	108	60.8-151	0
o-Xylene	11.38	0.50	10	0	114	60-140	0
Propene	9.04	0.50	10	0	90.4	34.4-139	0
Styrene	11.83	0.50	10	0	118	60-140	0
Tetrachloroethene	11.49	0.50	10	0	115	60-140	0
Tetrahydrofuran	11.09	0.50	10	0	111	60-140	0
Toluene	11.58	0.50	10	0	116	60-140	0
trans-1,2-Dichloroethene	11.3	0.50	10	0	113	60-140	0
trans-1,3-Dichloropropene	11.47	0.50	10	0	115	60-140	0
Trichloroethene	11.02	0.20	10	0	110	60-140	0
Trichlorofluoromethane	10.09	0.50	10	0	101	60-140	0
Vinyl acetate	11.49	0.50	10	0	115	48.4-145	0
Vinyl chloride	11.09	0.50	10	0	111	60-140	0
Surr: Bromofluorobenzer	ne 10.06	0	10	0	101	60-140	0

The following samples were analyzed in this batch:

1503417-01A 1503417-02A

From:

Edward J Weiss <edw@acmegalv.com>

Sent:

Wednesday, March 18, 2015 1:34 PM

To:

Halbur, Kathy

Subject:

A Big Thank You!!!

Kathy....

Just wanted to express my thanks to you for all the help you brought to my brother Jim and I during the fire and post-fire follow up.

I have met many people in my 42 year career at Acme, you will stand out as one of the MOST PROFESSIONAL

PEOPLE I have had the privilege to work with!!

As I heard more than just a few of the many contractors and other governmental agencies say, "Kathy is awesome"!!!

Thanks again......

Regards Ed

Edward J. Weiss President

Acme Galvanizing, Inc Phone: 414-645-3250 x112

Fax: 414-645-5929 Email: edw@acmegalv.com



An ISO 9001-2008 Certified Company www.acmegalv.com

CONFIDENTIALITY. This email and any files transmitted with it may contain information proprietary to Acme Galvanizing, Inc, and are intended solely for the use of the individual to whom they are addressed. If you have received this electronic mail in error, please immediately notify the sender by return email.

From:

Hibbler, Genene < Genene. Hibbler@milwaukeecountywi.gov>

Sent:

Wednesday, March 18, 2015 11:59 AM

To:

Halbur, Kathy

Subject:

Fw: WI SPILL #9016 SERTS ID 20150316SE41-1 - UNKNOWN (UPDATES)

Kathy,

I attended the First Responder Safety Training at WCTC yesterday, and had a conversation with Brad. He stated that you may contact me regarding the below SERTS Report from Milwaukee Regional Hazmat Team. I followed up with them yesterday and they provided the below update.

Genene Hibbler, EPCRA Coordinator
Milwaukee County Office of Emergency Management (OEM)
901 North 9th Street, Room # 308
Milwaukee, WI 53233
414-278-4709 Phone
414-278-4915 Fax

From: Engine25 <eng25@milwaukee.gov> Sent: Tuesday, March 17, 2015 2:40 PM

To: Hibbler, Genene

Subject: RE: WI SPILL #9016 SERTS ID 20150316SE41-1 - UNKNOWN

Genene,

I just talked with one of the guys that was on this run yesterday. Apparently, there were some Sulfuric Acid tanks on site. When the firefighting runoff water started to turn green, there was some concern that there was Sulfuric Acid mixing with the water runoff. However, after further investigation, it was determined that there was no Sulfuric Acid present in the water. The hazmat team found out that the color change was caused by food grade, green food coloring. When that water was tested for ph, it came back as neutral, and a sample of the water came back with no hazardous chemicals present in it. Please call me with any additional questions or concerns.

Respectfully, Lt. Darin Peterburs

----Original Message----

From: Hibbler, Genene [mailto:Genene.Hibbler@milwaukeecountywi.gov]

Sent: Tuesday, March 17, 2015 2:10 PM

To: Engine 25

Subject: WI SPILL #9016 SERTS ID 20150316SE41-1 - UNKNOWN

Gentlemen,

Please provide me an update on the below Spill Report?

Sent using OWA for iPhone

Contractor Hired:

From: dakota.berg@wisconsin.gov <dakota.berg@wisconsin.gov> Sent: Monday, March 16, 2015 9:40:38 AM To: DL OEM Emergency Management Subject: WI SPILL #9016 SERTS ID 20150316SE41-1 - UNKNOWN Substance Release Notification from Wisconsin DNR Spill Electronic Reporting and Tracking System (SERTS): **SERTS Spill ID:** 20150316SE41-1 Date/Time Reported: 03/16/2015 09:31 Person Reporting (PR): JOHN MICHALAK CITY OF MILWAUKEE FIRE DEPARTMENT (414) 397-9432 (414) 349-2646 Date/Time Occurred: 03/16/2015 09:30 Location: SE REGION MILWAUKEE COUNTY **CITY OF MILWAUKEE** ACME GALVENIZING INC 2730 S 13TH ST Responsible Party (RP): ACME GALVENIZING INC Substance: **UNKNOWN (Unknown) SULFURIC ACID** Released Amt: UNKNOWN Recovered Amt: UNKNOWN Spill Cause: DUE TO THE EXPLOSION OF THE LP TANK **NO EVACUATION NO INJURIES** Weather:

NONE ENTERED

Cleanup Method:

FIRE DEPARTMENT ON SCENE - ASSESING THE WATER AND GOING TO LOOK TO SEE HOW TO STOP THE LEAK

Additional Comments:

4147883365

Notified STEVE MUELLER at 09:37 by Phone

Form Completed by: DAKOTA (608) 267-0844 dakota.berg@wisconsin.gov

Notification sent to:
andrew.savagian@wisconsin.gov
ben.schliesman@wi.gov
beth.olson@wisconsin.gov
brian.satula@wisconsin.gov
dmawemdutyofficer@wisconsin.gov
dnrledo@wisconsin.gov
dnrlehotline@wisconsin.gov
eng25@milwaukee.gov

halbur.kathy@epa.gov
jason.lowery@wisconsin.gov
laura.kwilinski@dot.gov
linda.coogan@wi.gov
oememergencymanagement@milwaukeecountywi.gov
robert.clatterbuck@dot.gov
scott.ferguson@wisconsin.gov
stephanie.krueger@dhs.wisconsin.gov
stephend.mueller@wisconsin.gov

This message is intended for the sole use of the individual and entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended addressee, nor authorized to receive for the intended addressee, you are hereby notified that you may not use, copy, disclose or distribute to anyone the message or any information contained in the message. If you have received this message in error, please immediately advise the sender by reply email and delete the message.

The City of Milwaukee is subject to Wisconsin Statutes related to public records. Unless otherwise exempted from the public records law, senders and receivers of City of Milwaukee e-mail should presume that e-mail is subject to release upon request, and is subject to state records retention requirements. See City of Milwaukee full e-mail disclaimer at www.milwaukee.gov/email_disclaimer

This message is intended for the sole use of the individual and entity to which it is addressed, and may contain information that is privileged, confidential and exempt from disclosure under applicable law. If you are not the intended addressee, nor authorized to receive for the intended addressee, you are hereby notified that you may not use, copy, disclose or distribute to anyone the message or any information contained in the message. If you have received this message in error, please immediately advise the sender by reply email and delete the message.

From:

Halbur, Kathy

Sent:

Wednesday, March 18, 2015 9:29 AM

To:

'Schmidt, Lindor'

Cc:

Rodriguez, Jose; James, Benjamin; 'Thiboldeaux, Robert L - DHS'; 'Mueller, Stephen D -

DNR'; 'Biedrzycki, Paul'

Subject:

Acme Galvanizing

Hi Lindor:

I expect the results of the samples collected by the MFD Hazmat Team (3 air & 1 liquid) this afternoon. I will forward the results when I receive them.

The contaminated firefighting water within the building (that was off-gassing HCN) was safely collected by Advanced Waste (AW) yesterday afternoon. AW also pressure washed the impacted floor. This work was performed in Level B PPE with EPA START conducting air monitoring and acting as rescue/back-up during the operations. HCN concentrations never exceeded 10 ppm yesterday. This water is containerized at Acme Plating, pending results of disposal sampling conducted by AW. AW also collected additional firefighting water that was in the storm sewer and caught up in the storm sewer outlet discharging to the KK River. This water was collected with a vac truck and taken to AW's facility.

Acme has hired Sigma to conduct air monitoring and act as the Safety Officer for the remaining cleanup work. The immediate hazards have all been mitigated. The fire scene is under investigation by the insurance companies (Acme & Ferrel Gas) – which may take a couple of weeks to complete. WDNR and I will keep track of the cleanup progress, but do not plan to be there daily.

If you have any questions or concerns, do not hesitate to call Steve (414-263-8631) or me.

Thanks, Kathy

Kathy Halbur, On-Scene Coordinator U.S. EPA Region 5 Emergency Response Branch c/o WDNR 2984 Shawano Ave Green Bay, WI 54313-6727

Phone: 920-662-5424 Cell: 920-634-9072

Cell. 520-054-5072

Email: halbur.kathy@epa.gov

From: Schmidt, Lindor [mailto:LESCHMI@milwaukee.gov]

Sent: Wednesday, March 18, 2015 7:55 AM

To: Halbur, Kathy

Cc: Rodriguez, Jose; James, Benjamin

Subject: Ananytical results for standing water at Acme Galvanizing

I wanted to know if you could share these results with us and if there are any remaining remediation issues at the plant.

Lindor Schmidt

Environmental & Disease Control Specialist Milwaukee Health Department 841 N Broadway Room 304 Milwaukee, WI 53202-3653 leschmi@milwaukee.gov

Office: (414) 286-2359 Cell: (414) 324-1315

Fax: (414) 286-5164

NOTICE: This E-mail and any attachments may contain confidential information. Use and further disclosure of the information by the recipient must be consistent with applicable laws, regulations and agreements. If you received this E-mail in error, please notify the sender; delete the E-mail; and do not use, disclose or store the information it contains.

The City of Milwaukee is subject to Wisconsin Statutes related to public records. Unless otherwise exempted from the public records law, senders and receivers of City of Milwaukee e-mail should presume that e-mail is subject to release upon request, and is subject to state records retention requirements. See City of Milwaukee full e-mail disclaimer at www.milwaukee.gov/email_disclaimer

From:

May, David W Lt Col USAF NG WIANG (US) <david.w.may16.mil@mail.mil>

Sent:

Tuesday, March 17, 2015 7:02 AM

To:

NG WI WIARNG Mailbox JOC

Cc:

Leckel, Eric J MAJ USARMY NG WIARNG (US); Halbur, Kathy; Bonayon, Edwin P SFC USARMY NG WIANG (US); Brown, Christopher R SMSgt USAF NG WIARNG (US);

Davison, Joseph M MAJ USARMY NG WIARNG (US); Enerson, Gregory S MSgt USAF NG WIANG (US); Hanson, Johannes J SGT USARMY NG WIARNG (US); Hellenbrand, Jeremiah J CPT USARMY NG WIARNG (US); Kaste, Seth A CPT USARMY NG WIARNG (US); Kenton, Nicholas R SSG USARMY NG WIARNG (US); Kielisch, Ava K SGT USARMY NG WIARNG (US); Koshick, Charlotte M 1st Lt USAF NG (US); Malachowski, Brandy R CPT USARMY NG WIARNG (US); Marsh, Penny J SSG USARMY NG WIARNG (US); Mccormick, Dustin D SSG USARMY NG WIANG (US); Miller, Jacob A SSG USARMY NG WIARNG (US); Oconnell, Christopher R CPT USARMY NG WIARNG (US); Prieur, Kenneth V SSG USARMY NG WIARNG (US); Schmitt, Edward A SSG USARMY NG WIARNG (US); Smith, Jeremy J SSG USARMY NG WIARNG (US); Sosa, Nicholas R SFC USARMY NG

WIARNG (US); Tracy, Matthew J SFC USARMY NG WIARNG (US)

Subject: Signed By: SITREP INITIAL - RESPONSE MISSION #2015-0317-01 (GALVANIZE) (UNCLASSIFIED)

david.may.15@us.af.mil

Classification: UNCLASSIFIED

Caveats: NONE

WI JOC

SITREP INITIAL MISSION #2015-0317-01 (GALVANIZE) RESPONSE

At 0700, six members of the 54th CST (3xANG, 3xARNG) departed for Milwaukee to support the EPA at an industrial site to provide metering support, technical advice, and site safety support to facilitate mitigation of a suspected hydrogen cyanide spill.

Classification: UNCLASSIFIED

Caveats: NONE

54th CST ICS Form 208 Supplement, Site Safety and Health Plan

Incident Name: 15115633 (MFO	Incident	#:	Date: 17 MARK	Operational Period:			
CST OF GAUINIZE Site Information							
Incident Location: 270 5.1975 MILLIANKS LAT/LOG:							
Safe Access:							
Incident Command Post Location: NW	COONSE OF	ACILTEY	LAT/LOG:				
Control Zones are indicated on the ICS 201			vings				
Exclusion Line: Outlined on Map							
Contamination Control Line: Outlined on N	·lap						
Support Line:							
Current Weather Conditions:			- ·				
Wind Direction: Wind Spe			16: 32£60	900 			
24 Hour Forecast: 37-44° CLEAR	N ZEWIW.	100 2-15 may					
BACKGROUND READINGS: 02:	Radiatio	n: Toxicit	y/VOC:	Other:			
ICS	Form 201 - Site I	Map shall be comple	ted and attached.				
	Orga	nization					
Incident Commander:	<u> </u>	rganization: Miw	FO				
CST Commander: MAY TAND W		CST Deputy Com	mander: —				
Survey Team Leader: KENTON, NIC		CST Operations O					
Survey NCOIC: Karos, Nick	·	CST Safety Office	II BODINIS				
Entry Leader: AL MADYOVIEW	Back-Up Leader		Decon Lea	der:			
Entry: EXIC TAYLOR	Back-Up: KIE	राख्य	Decon:				
Entry: LANCE SUMMERS (TEXA)	Back-Up:		Decon:	·····			
Entry:	Back-Up:		Decon:				
	Hazard	Evaluation					
Chemical Name(s): [X] YES [] NO	HCV	·					
Biological Agent(s): [] YES 🙀 NO							
Radiological Source(s): [] YES NO		· 		•			
Hazards:							
Hazardous Material Data Sheet(s) shall be completed and attached if known. Attached [] YES [NO							
Toxicology, signs and symptoms, and exp Data Sheet. This information shall be:	osure treatment i	nformation is contain	ined within the at	tached Hazardous Materials			
 provided prior to work activities for known involved materials provided following testing of unknown materials 							
- reviewed at the Post Incident Debriefing - available upon request							
- available upon request Signs and Symptoms:							
LINE BRIEFED							
EXPOSURE ROUTES: Respiratory Coetaneous Language Ingestion Lall [] Other:							
Entry Objectives							
RECON:							
SITE CHARACTERIZATION:							
SAMPLING:							
MITIGATION:							
OTHER:							
Site Characterization: (Description of what and why we are here)							



						· · · · · · · · · · · · · · · · · · ·	
· · · · · · · · · · · · · · · · · · ·	,	Pı	rotective Cl	othing	<u>.</u>		
Entry Level	A □ BG4 □/	SCBA	⊠ В 🗆	CE] D 🗆	TOPN 09	G€
Backup Level	A BG4 □/	SCBA	□В□	CE	D 🗆		
Decon Level	A □ BG4 □ /	SCBA	□ в□	CE	D 🗆	·	
	ied guidelines shall be						
All CST per	sonnel in the footprin	t area wil	l have their Pro-	Mask rea	iily available). 	
	•	Œ	Intry Monit	oring			
LEL instrument(s): 1	0% of the LEL outdoo	ors, 20% i	indoors		[X] contin	nuous, or:	
O2 instrument(s): les	s than 19.5 or greater	than 23.5	5%		[X) contin	nuous, or:	
Toxicity /PPM instrur	nent(s):				[X] contin	nuous, or:	
Radiological instrume	nt(s): [] alpha [] beta	[] gamma		[] contin	nuous, or:	
Ground Water Monito	ring: [] Yes [X]]	No	Comments:				
	ective precautions shars are listed in 29 CFF			onnel wo	rking where	sound levels	exce
		I	econtamin)	ation	: :		
Decon Corridor Locat	ion:			· -	LAT/LOG:		
Standard Department utilized: [] YES		yout					
Decon with: M100	: EDS: BD)S:	CDS: Ligh	Wand:	Other:		
The modified layou	it and procedure will	consist of	f:		·		
BUDDY	DECON, TOP	F					
Decon Procedures sha	ll be followed for pers	sonnel an	d equipment exi	ting the E	xclusion Zon	ie.	
FORWARD LINE O	F MONITORING IS					e. ENT(S) USED:	LAS E
FORWARD LINE O	F MONITORING IS	S SET []	XIYES [ergency Pro	NO cedure	INSTRUME S	ENT(S) USED:	
FORWARD LINE O	F MONITORING IS	S SET [] Eme	X] YES [ergency Pro to the Safe Refu	NO cedure	INSTRUME s await assess	ENT(S) USED:	ıctio
FORWARD LINE O	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the	Eme directed directed fuge Area ment failure Survey T	ergency Pro to the Safe Refu a is located at: c re that effects th Team Leader for	NO cedure ge Area to Frei	s await assess AWA - JUA : The personne and may have	Sment and instruction of the state of the st	uctio
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the tot permitted until the	Emedirected fuge Area ment failure Survey I equipme	ergency Pro to the Safe Refu a is located at: tre that effects th Team Leader for nt is repaired or	NO cedure ge Area to Fici e safety of direction replaced	s await assess The personne and may have	Sment and instructions of the set of leave the	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the tot permitted until the	Emedirected fuge Area ment failure Survey I equipme	ergency Pro to the Safe Refu a is located at: tre that effects th Team Leader for nt is repaired or	NO cedure ge Area to Fici e safety of direction replaced	s await assess where personner and may have	sment and instruction of the second state of t	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the not permitted until the iteria: As briefed from	Eme directed fuge Area nent failu e Survey I equipme m ANNE	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv	no cedure ge Area to safety of direction replaced gey Abort	s await assess where personner and may have	sment and instruction of the second state of t	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the tot permitted until the	Eme directed fuge Area nent failu e Survey I equipme m ANNE	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv	no cedure ge Area to se safety of direction replaced rey Abort	s await assess where personner and may have	sment and instruction of the second state of t	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail	clusion Zone shall be actions. The Safe Re In the event of equipminmediately notify the not permitted until the iteria: As briefed from ure / Loss of Comms	Eme directed fuge Area nent failu e Survey I equipme m ANNE	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv	no cedure ge Area to se safety of direction replaced rey Abort	s await assess where personner and may have	Sment and instructions of the set of leave the	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com	clusion Zone shall be actions. The Safe Re In the event of equipminmediately notify the not permitted until the iteria: As briefed from ure / Loss of Comms batants	Eme directed fuge Area nent failu e Survey I equipme m ANNE	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv	no cedure ge Area to se safety of direction replaced rey Abort	s await assess where personner and may have	sment and instruction of the second state of t	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com O2 >23.5%	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the not permitted until the iteria: As briefed from ure / Loss of Comms batants OR < 19.5%	Eme directed fuge Area nent failu e Survey I equipme m ANNE	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv	no cedure ge Area to se safety of direction replaced rey Abort	s await assess where personner and may have	sment and instruction of the second state of t	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com O2 >23.5%	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the not permitted until the literia: As briefed from ure / Loss of Comms batants OR < 19.5% N/Out Approval	Eme directed fuge Area nent failu e Survey I equipme m ANNE	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv	no cedure ge Area to se safety of direction replaced rey Abort	s await assess where personner and may have	sment and instruction of the second state of t	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com O2 >23.5% LEL >10%	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the not permitted until the literia: As briefed from ure / Loss of Comms batants OR < 19.5% W/Out Approval opproval	Eme directed fuge Area nent failu e Survey I equipme m ANNE	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv	no cedure ge Area to se safety of direction replaced rey Abort	s await assess where personner and may have	sment and instruction of the second state of t	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com O2 >23.5% LEL >10% V >15% W/ A	clusion Zone shall be actions. The Safe Re In the event of equipminmediately notify the not permitted until the literia: As briefed from ure / Loss of Comms batants OR < 19.5% N/Out Approval opproval	Eme directed fuge Area nent failu e Survey I equipme m ANNE	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv	no cedure ge Area to se safety of direction replaced rey Abort	s await assess where personner and may have	sment and instruction of the second state of t	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com O2 >23.5% LEL >10% >15% W/ A -2.5 cGy tota 5 cGy/HR D	clusion Zone shall be actions. The Safe Re In the event of equipminmediately notify the not permitted until the literia: As briefed from ure / Loss of Comms batants OR < 19.5% N/Out Approval opproval	Emedirected of directed of the failure of the second of th	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv	no cedure ge Area to se safety of direction replaced rey Abort	s await assess where personner and may have	sment and instruction of the second state of t	e Ex
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com O2 >23.5% LEL >10% >15% W/ A -2.5 cGy tota 5 cGy/HR D	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the not permitted until the literia: As briefed from ure / Loss of Comms batants OR < 19.5% W/Out Approval opproval Lose OSE Rate BA 1500psi BG4 <7	Eme directed fuge Area nent failur e Survey T equipme m ANNE 5 Mins of	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv r greater (Send I	ge Area to ge safety of direction replaced. Back Up)	await assess the personne and may have	ENT(S) USED: Sment and instruction For the large the Hole to leave the Hole Ck Criteria.	e Exclu
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com O2 >23.5% LEL >10% V >15% W/ Aj -2.5 eGy/HR D Low Air SC	clusion Zone shall be actions. The Safe Re In the event of equipminmediately notify the act permitted until the literia: As briefed from ure / Loss of Comms batants OR < 19.5% M/Out Approval pproval pproval Ldose ose Rate BA 1500ps BG4 <7	Emedirected fuge Area equipment failure Survey for equipment ANNE. 5 Mins of the failure of the	ergency Pro to the Safe Refu a is located at: g re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv r greater (Send I	ge Area to ge safety of direction replaced. Back Up)	await assess the personne and may have	ENT(S) USED: Sment and instruction For the large the Hole to leave the Hole Ck Criteria.	e Exxelu
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com O2 >23.5% LEL >10% >15% W/ Aj -2.5 cGy/IRD Low Air SC: Rescue: Backup team Notify command of an	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the not permitted until the iteria: As briefed from ure / Loss of Comms batants OR < 19.5% M/Out Approval poproval coproval Ldose OSE Rate BA 1500psi BG4 < 7 DOSE P2. will be in place anyting activation of a back Radio and/or Voice of the safe and the	Eme directed fuge Area ment failur e Survey T equipme m ANNE 5 Mins of	ergency Pro to the Safe Refu a is located at: e re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv r greater (Send I	rey Abort Back Up)	await assess the personne and may have	ENT(S) USED: Sment and instruction For the large the Hole to leave the Hole Ck Criteria.	e External control of the control of
Citizens within the Exappropriate protective Equipment Failure: Entry personnel shall directed. Re-entry is r Abort/Turn Back Cr Man Down Suit Breach Commo Fail IED Enemy Com O2 >23.5% LEL >10% N >15% W/ Aj -2.5 cGy/HR D Low Air SC	clusion Zone shall be actions. The Safe Re In the event of equipm immediately notify the not permitted until the literia: As briefed from ure / Loss of Comms batants OR < 19.5% W/Out Approval peroval peroval dose ose Rate BA 1500psi BG4 <7 will be in place anyting activation of a back Radio and/or Voice Clarm: Three (3) long Route:	directed of the fuge Area of the failure survey is equipment and ANNE. 5 Mins of the failure survey is equipment and the failure survey is equipment and the failure survey is	ergency Pro to the Safe Refu a is located at: g re that effects th Team Leader for nt is repaired or X J, TAB 1 Surv r greater (Send I r greater (Send I n is in the hot zo e location. Ta horn or whist	rey Abort Back Up)	await assess way and ray have and Turn Ba SD Should be accepted.	ENT(S) USED: Sment and instruction For the large the Hole to leave the Hole Ck Criteria.	e External control of the control of

. .

Site Specific Safety Information						
Personnel shall not enter the Exclusion Zone without proper protective equipment and authorization from the Entry Leader.						
Site Specific Safety Issues: OF GASSING TILL TIM						
- F7	OBMAGED	SPUTURE	s			
- C	e chinadon	TARS, COM	ARESO ALL TA	New Erc		
			-			
	s shall be provided, in ations are listed in 29 CF			s, to maintain a safe	working environment. (The	
			Medical/Healt	h		
EMS Or	Site:	- <u></u> -		Location: الم		
CST Me	dical Personnel On Site:	YES	· · · · · · · · · · · · · · · · · · ·		& OF PACILITY	
	nd Decon Personnel shal recorded on a Medical M			completed by qualified	personnel. This information	
['3 Ye	s: C51 DE50,	3,EC	· · · · · · · · · · · · · · · · · · ·			
[[[No	MILLO FD	xx 2C		· · · · · · · · · · · · · · · · · · ·		
NEARE	ST HOSPITAL: 5	MKZ CA	DISTAN	CE: I	PHONE #:	
,			Communication	18		
Radio Fi	equencies assigned:	Command:	2	Tactical (Entry Team)	: 3/MED ACT	
Addition	al Communications utili	zed:			1	
Y	Visual contact with the	Entry Team sha	ll be maintained at ALL	times, or as follows:		
7	Emergency Hand Signa	is shall be revie	wed with the Entry and	Decon teams.		
AJ Cs	ONLY the Entry and assigned Tactical Chan		Decon Leader and Sat	ety Officer / Survey	Feam Leader shall utilize the	
Hygiene	and rest room facilities a	re located at:				
Training						
All personnel have the required or equivalent training to perform the task or function assigned.						
2. All personnel have the required or equivalent training to wear and/or operate assigned protective equipment.						
[💢 Yes:						
(XINDINOTE: LADE SIMERS CONTRACTOR 15 100 TOWNS OF						
. Plan Review .						
All Entry, Backup and Decon personnel have been briefed on the plan prior to entry. The Plan shall be available for review by all personnel. Changes shall NOT be made to this plan without the approval of the Asst. Safety Officer/Hazmat.						
DECON LINE CERTIFIED: [] TIME: BY: WA						
CST Safety Officer, SIGNATURE Date! Time						
CST Survey Team Leader, SIGNATURE Date 7 MAIK Time						
CST Commander, SIGNATURE Date Time						
Incident Commander, SIGNATURE Date Time						
Documents Required to Complete This Plan						
Attach required amendment(s) to document changes in this plan [ICS 201 - Site Sketch [] Hazardous Materials Data Sheet (if known) [] OTHER:						

2. Date Prepared 3. Time Prepared OGCO 1. Incident Name ICS Form 201 INCIDENT SITE SKETCH Wind Speed: North Arrow: Wind Direction: 10-15mpH CLEXAND (E) 5 (E) EXCENSION NOTE: EXCLUSION ZONE TOD. 5. Prepared By ICS 201 Page 1 of 1

From:

Summers, Lance < Lance. Summers@tetratech.com>

Sent:

Tuesday, March 17, 2015 3:23 PM

To:

Scott, Kevin; Halbur, Kathy

Subject:

Hcn monitor scarcity

Lance P. Summers | Environmental Scientist

Direct: 312.201.7767 | Cell: 812.756.6001

lance.summers@tetratech.com

Tetra Tech | Complex World, Clear Solutions™

1 S. Wacker Drive, Suite 3700 | Chicago, IL 60606

www.tetratech.com

Begin forwarded message:

From: Mary Palermo <mpalermo@pine-environmental.com>

Date: March 16, 2015 at 5:42:42 PM CDT

To: "'lance.summers@tetratech.com'" < lance.summers@tetratech.com >

Subject: Inquiry

Hello Lance,

I spoke with my technician and we do not have that available. Just for your information, these probes with cyanide, are harder to come by because they are not rented often at all and the calibration gas is very costly with a short shelf life.

Now, if you knew of a project coming up that requires this, please give us notice and we can order the gas for you and supply with the equipment. Sorry I was unable to assist. Enjoy your evening.

Mary Palermo

Branch Manager

Office: 847-718-1246 Fax: 847-718-1423

<imageoo1.jpg>

Pine Environmental Services 1450 Elmhurst Rd Elk Grove Village, IL 60007

www.pine-environmental.com

From:

Brian Cahill <bri>deltrol.com>

Sent:

Tuesday, March 17, 2015 7:27 AM

To:

Halbur, Kathy

Subject:

ACME Galvanizing Air

Kathy,

I understand that you talked with Josh Ferrer from our Company yesterday. You told him there were some "inconsistencies" in the air quality readings inside ACME. Can you tell me if anything has changed with this? The wind is blowing in a different direction today, and if there are concerning inconsistencies in the air quality measurements at ACME, could the wind be carrying them into the air intake of our building?

I would appreciate your feedback regarding this.

Thank you,

Brian Cahill, President Deltrol Controls

P: +01 414.290.7111 | M: +01 414.841.5122 | F: +01 414.671.6809 2740 S. 20th St., Milwaukee, WI 53215 USA www.deltrol-controls.com

CONFIDENTIALITY NOTICE: This communication is confidential, may be privileged and is meant only for the intended recipient. If you are not the intended recipient, please notify the sender ASAP and delete this message from your system.

From:

Halbur, Kathy

Sent:

Monday, March 16, 2015 9:32 PM

To: Cc: 'molen@milwaukee.gov'; 'bkraus@milwaukee.gov' 'Schmidt, Lindor'; 'Thiboldeaux, Robert L - DHS'

Subject:

Acme Galvanizing

Hi:

The concerns regarding the Hydrogen Cyanide concentrations within the building adjacent to the fire area remain. The 54th Civil Support Team will be mobilizing to the Site to assist EPA with air monitoring and oversight of cleanup contractor operations. Entry into the building remains restricted. EPA START contractor is on scene overnight conducting perimeter air monitoring. Cleanup operations will resume at 0800 on 3/17/15. Any questions, you can reach me at 920-634-9072.

Kathy

Kathy Halbur, On-Scene Coordinator U.S. EPA Region 5 Emergency Response Branch c/o WDNR 2984 Shawano Ave Green Bay, WI 54313-6727

Phone: 920-662-5424 Cell: 920-634-9072

Email: halbur.kathy@epa.gov

From:

Halbur, Kathy

Sent:

Monday, March 16, 2015 9:21 PM

To:

Hassan, Jacob; R5 ER Notification List

Cc:

Thomas, Craig; Maguire, Andrew; Benning, Brad; Augustyn, James; Sewell, Jason;

Chummar, Sam

Subject:

RE: Region 5 ER Notification# 2 : Acme Galvanizing Inc

Attachments:

IMG_20150316_110613.jpg; IMG_20150316_170830.jpg

Region 5 ER Notification# 2: Acme Galvanizing Inc

Report as of: 2100 hrs CST on Monday, March 16, 2015

Overview: At 0750 on March 16, 2015, a propane tank exploded at the Acme Galvanizing facility in Milwaukee, WI (NRC#1110783). After extinguishing the fire, the Milwaukee Fire Department (MFD) identified elevated Hydrogen Cyanide concentrations (greater than 50 ppm) inside the building adjacent to the fire area. The cyanide storage area and plating lines do not appear to have been impacted by the firefighting operations, however a lab was adjacent to the area consumed by fire. The hot zone is secured within the building; all entry into the building is prohibited overnight. START is conducting perimeter monitoring overnight. The WI 54th Civil Support Team (CST) will be assisting with air monitoring when cleanup operations resume at 0800 on March 17, 2015.

Firefighting runoff outside the facility had an observable green tint (see attached photo); preliminary analysis conducted by the facility's contractor indicated the water did not contain cyanide or chromium and had a neutral pH. The drain plug containing the water gave way prior to the arrival of the vac truck, releasing approximately 3,500 gallons to the Kinnickinnic River; 400 gallons was collected by Advanced Waste and taken to their treatment facility. EPA is analyzing air and runoff samples collected by MFD Hazmat Team.

State, Local, and other Federal Agency Action: MFD Hazmat Team demobilized at 1630; WDNR and EPA demobilized at 1915; START on scene overnight conducting air monitoring operations. WDNR, CST, and EPA planning to resume operations at 0800 on March 17; MFD Hazmat will be on standby.

EPA Actions: OSC Halbur is providing assistance to the local fire department and WDNR to assess the risks posed by the Hydrogen Cyanide as well as overseeing the containment and removal of contaminated runoff. START is providing technical assistance on site.

Media Interest: Yes, all Milwaukee television stations

Contact: Kathy Halbur, EPA OSC, 920-634-9072

From:

Hassan, Jacob

Sent:

Monday, March 16, 2015 1:07 PM

To:

R5 ER Notification List

Cc:

Thomas, Craig; Maguire, Andrew; Benning, Brad; Augustyn, James; Sewell, Jason;

Chummar, Sam; Halbur, Kathy

Subject:

Region 5 ER Notification# 1: Acme Galvanizing Inc

Region 5 ER Notification# 1: Acme Galvanizing Inc

Report as of: 1200 hrs CST on Monday, March 16, 2015

Overview: At 0930 on March 16, 2015, EPA was notified of a propane explosion at the Acme Galvanizing facility in Milwaukee, WI (NRC# 1110783). The local fire department has extinguished the fire and commenced an assessment of the facility. The initial entry identified an unknown green-colored liquid in the loading dock area of the facility and air monitoring equipment showed elevated levels of hydrogen cyanide. The source of the green-color liquid is unknown at this time. The sewer drains have been sealed and there is no off-site impact. EPA is supporting the local fire department and WDNR to assess and characterize the unknown liquid. A clean-up contractor is en-route.

State, Local, and other Federal Agency Action: Milwaukee Fire Department and WDNR are on-scene.

EPA Actions: OSC Halbur is on site and is providing assistance to the local fire department and WDNR to develop a site assessment and characterization plan. START is mobilizing to the site.

Media Interest: Yes

http://wgntv.com/2015/03/16/explosion-fire-reported-at-business-on-milwaukees-south-side/

Contact: Kathy Halbur, EPA OSC, 920-662-5424

